OKAY

UPHOLSTERED

Code OOKAYA01 - OOKAYA11



CATAS UNI EN 1335 B

DESCRIPTION
Ergonomic swivel upholstered task chair.

NOTES
50mm wheel brake in hard or soft;
Integral height adjustable polypropylene lumbar support (0-60mm), matching with structure.

SPECIFICATIONS

STRUCTURE
Injection molded black or white nylon + nylatron backrest and seat;
steel reinforced recycled polypropylene internal seat.

MECHANISM
MEC20 - Syncron - Weight tension adjustable - 1 position
MEC14 - Syncron self-adjusting - Anti-shock device - 5 positions
MEC04 - Syncron - Weight tension adjustable - Anti-shock device - 5 positions
MEC17 - Syncron - Weight tension adjustable - seat depth control (slide) - Anti-shock device - 4 positions

PADDING CUT-TO-SIZE POLYURETHANE FOAM
Seat: 50 mm thick, 30 Kg/m3 dense
Backrest: 10 mm thick, 135 Kg/m3 dense

ARMS
BRR14 - height adjustable black nylon arms
BRR15/BRR18 - 2D multi-adjustable black or white nylon arms
BRR16/BRR19 - 3D multi-adjustable black or white nylon arms

LEGS / FRAME / BASE
BAN08/BAB04 - Ø640mm 5-star black or white nylon base
BAA03 - Ø640mm 5-star polished aluminium base

UPHOLSTERY
Categories B01 (012-013-016-018-023-028-222) / B03 (137-138-178-185-186)


DIMENSIONS

Dimensions in millimeters

chair
L 660 H 990-1110 D 660

seat
L 490 H 420-540 D 450

backrest
L 460 H 570



WEIGHT
Net weight a chair: 12,5 Kg
Gross weight a chair: 14,5 Kg

PACKAGING
1 x package
680×390×730

VOLUME
M3 a chair: 0,19

OKAY

MESH BACK

Code OOKAYA02 - OOKAYA12



CATAS UNI EN 1335 B

DESCRIPTION
Ergonomic swivel mesh back task chair.

NOTES
50mm wheel brake in hard or soft;
Integral height adjustable polypropylene lumbar support (0-60mm), matching with structure.

SPECIFICATIONS

STRUCTURE
Injection molded black or white nylon + nylatron backrest and seat;
steel reinforced recycled polypropylene internal seat.

MECHANISM
MEC20 - Syncron - Weight tension adjustable - 1 position
MEC14 - Syncron self-adjusting - Anti-shock device - 5 positions
MEC04 - Syncron - Weight tension adjustable - Anti-shock device - 5 positions
MEC17 - Syncron - Weight tension adjustable - seat depth control (slide) - Anti-shock device - 4 positions

PADDING CUT-TO-SIZE POLYURETHANE FOAM
Seat: 50 mm thick, 30 Kg/m3 dense

ARMS
BRR14 - height adjustable black nylon arms
BRR15/BRR18 - 2D multi-adjustable black or white nylon arms
BRR16/BRR19 - 3D multi-adjustable black or white nylon arms

LEGS / FRAME / BASE
BAN08/BAB04 - Ø640mm 5-star black orwhite nylon base
BAA03 - Ø640mm 5-star polished aluminium base

UPHOLSTERY
Backrest: mesh R07
Seat: categories B01-B03-C01-C05-D02-D05-E01-D06


DIMENSIONS

Dimensions in millimeters

chair
L 660 H 990-1110 D 660

seat
L 490 H 420-540 D 450

backrest
L 460 H 570



WEIGHT
Net weight a chair: 12 Kg
Gross weight a chair: 14 Kg

PACKAGING
1 x package
680×390×730

VOLUME
M3 a chair: 0,19

OKAY

UPHOLSTERED HIGH STOOL



Code OOKAYS01 - OOKAYS11

DESCRIPTION
Ergonomic swivel upholstered high stool.

NOTES
Integral height adjustable polypropylene lumbar support (0-60mm), matching with structure.

SPECIFICATIONS

STRUCTURE
Injection molded black or white nylon + nylatron backrest and seat;
steel reinforced recycled polypropylene internal seat.

MECHANISM
MEC14 - Syncron self-adjusting - Anti-shock device - 5 positions

PADDING CUT-TO-SIZE POLYURETHANE FOAM
Seat: 50 mm thick, 30 Kg/m3 dense
Backrest: 10 mm thick, 135 Kg/m3 dense

ARMS
BRR14 - height adjustable black nylon arms
BRR15/BRR18 - 2D multi-adjustable black or white nylon arms
BRR16/BRR19 - 3D multi-adjustable black or white nylon arms

LEGS / FRAME / BASE
BAN01/BAB04 - 5-star black orwhite nylon base
BAA03 - 5-star polished aluminium base

UPHOLSTERY
Categories B01 (012-013-016-018-023-028-222) / B03 (137-138-178-185-186)


DIMENSIONS

Dimensions in millimeters

chair
L 670 H 1170-1440 P 670

seating
L 490 H 560-830 P 450

backrest
L 460 H 570



WEIGHT

Net weight a chair: 13,5 Kg
Gross weight a chair: 14,5 Kg

PACKAGING

1 x package

VOLUME

M^3 package: 0,019

OKAY

MESH BACK HIGH STOOL



Code OOKAYS02 - OOKAYS12

DESCRIPTION
Ergonomic swivel mesh back high stool.

NOTES
Integral height adjustable polypropylene lumbar support (0-60mm), matching with structure.

SPECIFICATIONS

STRUCTURE
Injection molded black or white nylon + nylatron backrest and seat;
steel reinforced recycled polypropylene internal seat.

MECHANISM
MEC14 - Syncron self-adjusting - Anti-shock device - 5 positions

PADDING CUT-TO-SIZE POLYURETHANE FOAM
Seat: 50 mm thick, 30 Kg/m3 dense

ARMS
BRR14 - height adjustable black nylon arms
BRR15/BRR18 - 2D multi-adjustable black or white nylon arms
BRR16/BRR19 - 3D multi-adjustable black or white nylon arms


LEGS / FRAME / BASE
BAN01/BAB04 - 5-star black orwhite nylon base
BAA03 - 5-star polished aluminium base

UPHOLSTERY
Backrest: mesh R07
Seat: categories B01-B03-C01-C05-D02-D05-E01-D06

DIMENSIONS

Dimensions in millimeters

chair	seating	backrest
L 670 H 1170-1440 P 670	L 490 H 560-830 P 450	L 460 H 570



WEIGHT

Net weight a chair:	13,5 Kg
Gross weight a chair:	14,5 Kg

PACKAGING
1 x package

VOLUME
M^3 package: 0,019